

DOSKO

CHIPPER/MULCHER



Made in U.S.A.



Reduces
**Virtually All
Consumer
By-Products!**



www.dosko.com

**TWO
MODELS**

13-16T-13H



2022-20HE



DOSKO CHIPPER/MULCHER

360° DISCHARGE CHUTE (OPTIONAL)

An optional 360° discharge chute can be added to the 2022 model to discharge material from the chipper hopper side of the unit. The flexibility of this option is an absolute must for loading dumpsters, truckbeds, etc. The 90° bend and deflector allows you to pinpoint the destination of the material.

CHIPPER HOPPER (SIDE)

Our chipper/mulcher series excel at chipping tree limbs and branches. The results are reusable, marketable, small chips which are in great demand by nurseries, landscape professionals and homeowners.

3-IN-1 FLAIL SYSTEM

The heart of our chipper/mulcher series is the exclusive Dosko 3-in-1 Flail System. With either 8 or 16 individual pieces, a user is provided 3 times the number of double-edged flails. These flails have been heat treated to 60 RC hardness and are reversible, sharpenable and replaceable.




MULCHER HOPPER (TOP)

Our chipper/mulcher series are capable of reducing any "shreddable" organic product including tree limbs, branches, leaves, grass, paper, all types of maintenance debris and garden vegetation. The end product is a rich, reusable, 100% natural soil additive conditioner which is beneficial to all plants and gardens.

MULCHER SCREENS

Our chipper/mulcher series feature interchangeable mulcher screens, so that you can quickly and easily modify the final size of the mulched material. Standard is a 3/16" thick screen that has a 3/4" x 2" oval hole pattern, but a variety of others are available.



RECYCLABILITY

Finally, it's the perfect recycling machine! It quickly and efficiently reduces aluminum cans, plastic bottles, cardboard (flat or tube), newspapers, telephone books, PVC tubing, asphalt shingles, nail-free drywall, catalogs, plastic sheeting — virtually all consumer by-products.

*Note: Model 2022 shown

FEATURES

FEATURES

STANDARD FEATURES

TAILLIGHT PROTECTION

Your taillights are protected with our new cage covering and wiring tube. The cage's sturdy structure means fewer accidental taillight breaks while tubing provides protection of taillight wires.

GOING GREEN

With this machine your customer's will not only be making an investment in the product, but also their community and their environment.

An aluminum can takes 80-200 years to decompose.
A plastic bottle — 450 years.

Our chipper/mulcher series recycle these products and many more. They also benefit users by reducing time spent hauling waste and producing, in many cases, a material suitable for mulch and landscaping applications.

Decomposition information obtained from:
"Pocket Guide to Marine Debris," The Ocean Conservancy, 2004.
Sources: U.S. National Park Service; Mote Marine Lab, Sarasota, FL.

“THE
CHIPPER/MULCHER THAT RECYCLES
VIRTUALLY ALL
CONSUMER BY-PRODUCTS”

www.dosko.com

DOSKO
CHIPPER/MULCHER

DOSKO

CHIPPER/MULCHER



SPECIFICATIONS

	13-16T-13H	2022-20HE
ENGINE OPTIONS		
Make	Honda	Honda
Model	GX390UT1QAA2	GX620R1TXF2
CC Rating	390 cc	620 cc
GENERAL		
Weight	390 lbs. (177 kg)	930 lbs. (422 kg)
Length	43" (109 cm)	80" (203 cm)
Width	47" (119 cm)	52" (132 cm)
Height	53" (135 cm)	61 1/2" (156 cm)
Type of Fuel	Gasoline	Gasoline
Starting	Recoil	Electric
Tires	4.80/4.00-8" (20 cm)	4.80-12" (30 cm) 4-Ply
Axle	Rigid	2000# Rubber Torsion Stub Axle
Jack Stand	Non-Adjustable	Adjustable
Safety Chains	Standard	Standard
Coupler	2" Ball (5 cm)	2" Ball (5 cm)
FLYWHEEL		
Size	3/4 TK x 16" Dia. (1.9 x 41 cm)	3/4 x 22" Dia. (1.9 x 56 cm)
Weight	105 lbs. (48 kg)	165 lbs. (75 kg)
Knives	2 ea. - 5" Double-Edge, Reversible (12.7 cm)	2 ea. - 8" Double-Edge, Reversible (20.3 cm)
Shaft	1 1/2" Dia. (3.8 cm)	2 1/2" Dia. (6.4 cm)
Bearings	1 1/4" Dia. (3.18 cm), 4-Bolt Flange	1 1/2" Dia. (3.18 cm), 4-Bolt Flange
FLAILS		
Type: Number	3-in-1 System: 8 Total Pieces Providing 24 Reversible, Double-Edged Flails, Heat Treated to 60 RC hardness	3-in-1 System: 16 Total Pieces Providing 48 Reversible, Double-Edged Flails, Heat Treated to 60 RC hardness
CHIPPER HOPPER		
Size	14 x 14" x 24" Deep (36 x 36 x 61 cm)	18 x 22 x 36" Deep (46 x 56 x 91 cm)
Feed Opening	3 x 3" (7.6 x 7.6 cm)	4 x 5" (10.2 x 12.7 cm)
Capacity	2 1/2" Dia. Material (6.4 cm)	3 1/2" Dia. (8.9 cm)
MULCHER HOPPER		
Size	20 x 20" (51 x 51 cm)	20 x 20" (51 x 51 cm)
Feed Opening	8 x 8" (20 x 20 cm)	8 x 8" (20 x 20 cm)
OPTIONS		
360° Discharge Chute	No	Yes
Taillights with Turn Signals	Yes	Yes
Mulcher Screen Size (Perforated)	Standard: 3/4 x 2" (1.9 x 5.1 cm) Other Available Sizes: 3/4" Dia. (1.9 cm), 1/2 x 2" (1.3 x 5.1 cm), 1 x 2" (2.5 x 5.1 cm)	Standard: 3/4 x 2" (1.9 x 5.1 cm) Other Available Sizes: 3/4" Dia. (1.9 cm), 1/2 x 2" (1.3 x 5.1 cm), 1 x 2" (2.5 x 5.1 cm)

DOSKO
www.dosko.com

ITEM# DOSMULCHERLIT.DOS

My Authorized Dosko Sales & Service Dealer: